Division of Health Care Facilities STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: 01 - MAIN BUILDING 01 B. WING TN8602 02/19/2014 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE **100 GREENWAY CIRCLE** UNICOI CO NURSING HOME **ERWIN, TN 37650** SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE PREFIX COMPLETE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DATE DEFICIENCY) N 002 1200-8-6 No Deficiencies N 002 During the Life Safety portion of the survey on February 19, 2014, there are no deficiencies cited under 1200-8-6, Standards for Nursing Homes.

Division of Health Care Facilities

LABORATORY DIRECTOR'S OF PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

M85K21

6899

If continuation sheet 1 of 1